



Laserliner®

DistanceMaster



Professional laser distance meter – exactly to the point more quickly with the help of new technology

Rev.0316



Point-precise measuring with laser light to determine lengths exactly

- Simple height measurement with dual **Pythagoras measurement function** to automatically detect heights
- + 3.** The **area and volume functions** permit the acquisition of room sizes, for example to calculate material quantities
 - Simple assessment of room perimeter with the **addition and subtraction functions**
 - The **wall surface function** automatically adds up surfaces by measuring the lengths of walls as well as their height once.
 - High measuring accuracy** up to 100 m: ± 1.5 mm
 - Inside measurement range:** 0.05 m to 100 m
- 4 selectable measurement reference points:** front, tripod, rear and pin
 - Min/Max function** to determine diagonals, verticals and horizontals
 - Reference mode** for the easy transfer of lengths
 - Insertable pin for measurements from a corner
 - Illuminated LC display
 - 1/4" tripod connection

TECHNICAL DATA

ACCURACY ± 1.5 mm (typical)*
MEASUREMENT RANGE max. 100 m
MINIMALE REICHWEITE 0.05 m
LASER Class 2, < 1mW
LASER WAVELENGTH 635 nm
OPERATING TEMPERATURE -10°C ... 40°C
UNIT (selectable) m / ft / inch ' _ "
FUNCTIONS distances, areas, volumes, Pythagoras 1+2, min/max/duration/reference measurement, addition and subtraction of lengths, wall surface function
POWER SUPPLY Batteries 2 x 1.5 V Typ AAA
DIMENSIONS (W x H x D) 51 x 124 x 27 mm
WEIGHT with batteries: 194 g


* See operating instructions for specific accuracies



DistanceMaster
inclusive softbag
+ measuring pin
+ batteries (2 x 1,5V type AAA)
Packaging dimension (W x H x D)
90 x 295 x 55 mm



Measure from the corner with insertable measuring pin



Assess reflection strength by means of scale reading



Illuminated display

ARTICLE	ARTICLE NO	EAN-CODE	PU
DistanceMaster	080.946A	4 021563 680634	5

